Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	98	pipeline near2 accelerator	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L3	1038	pipeline with accelerat\$3	US-PGPUB; USPAT	OR .	ON	2007/12/14 11:38
L4	261	pipeline near2 accelerat\$3	US-PGPUB; USPAT	OR -	ON	2007/12/14 11:38
L5	47	pipeline near2 accelerat\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L6	2	accelerat\$3 with load\$3 with process\$3 with external and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L7	71	accelerat\$3 with load\$3 with process\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L8	3	("5583964" "4956771" "5892962"). pn.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L9	10	mccarthy-paul.in.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L10	1	"5619430".pn.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L11	1	"6205400".pn.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L12	8	"raw data" with (coprocessor co-processor) same (buffer queue FIFO)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L13	42	"raw data" with (coprocessor co-processor)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L14	208	"raw data" with (slave PE DSP)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L15	9	"raw data" with (slave PE DSP) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L16	19	"processed data" with (coprocessor co-processor) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L17	1	(US-6624819-\$).did.	USPAT	OR	ON	2007/12/14 11:38
L18	1	L17 and "160" with ("204" "206")	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L19	193	output near2 queue with (address\$2 pointer) near3 memory	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L20	90	output near2 queue near5 (address\$2 pointer) near2 memory	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L21	21	output near2 queue near5 (address\$2 pointer) near2 memory and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38

L22	38	output near2 queue with (address\$2 pointer) near3 memory and g06f\$. ipc. not L21	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L23	551	address near2 queue with (address\$2 pointer) near3 memory and g06f\$.ipc. not L21	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L24	2	opcode near3 coprocessor with (send\$3 transfer\$4 transmit\$4) with instruction	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L25	1791	receiv\$3 near3 data same tempora\$4 near3 stor\$3 same process\$3 near3 data same (transmi\$5 send\$3 pass\$3) near4 data	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L26	22	(receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3) same (pipeline accelerat\$3)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L27	1	((data near3 tempora\$4 near3 stor\$3) with (prior before) near3 process\$3) same ((transmi\$5 send\$3 pass\$3) same (pipeline accelerat\$3))	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L28	658	(receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L29	100	("register file") with ("off chip" off-chip)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L30	98	((processor pipeline) with memory with integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L31	108	((processor pipeline) with first near3 integrated adj circuit) and (memory DRAM) with (separate second) near3 integrated adj circuit	US-PGPUB; USPAT	OR .	ON	2007/12/14 11:38
L32	27	((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) with (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L33	. 0	((processor pipeline) with memory with separate near3 integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38
L34	48	("register file") near3 ("off chip" off-chip)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:38

			T			
L35	. 59	(memory DRAM RAM) with ("off chip" off-chip) with (cheap\$2 expensive)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L36	49	((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L37	3	((processor pipeline) with memory with separate near3 integrated adj circuit) same (faster speed failure)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L38	. 44	((processor pipeline) with memory with separate near3 integrated adj circuit) same advantag\$4	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L39	219	((processor pipeline) with memory with separate near3 integrated adj circuit)	US-PGPUB; USPAT	OR	OŅ	2007/12/14 11:39
L40	0	((processor pipeline) with memory with distinct near3 integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	· ON	2007/12/14 11:39
L41	0	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (RAM near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L42	3	((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L43	522	((processor pipeline) with memory with integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L44	0	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (DRAM near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L45	298	((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit)	US-PGPUB; USPAT	OR ·	ON	2007/12/14 11:39
L46	163	((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L47	93	((processor pipeline) with memory with single near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39

L48	20	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (memory near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON ·	2007/12/14 11:39
L49	1	((processor pipeline) with memory with (two multiple plurality) near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON ·	2007/12/14 11:39
L50	24	((processor pipeline) with (DRAM RAM memory) with separate near2 chip) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR .	ON	2007/12/14 11:39
L51	98	((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L52	0	("register file") with ("off chip" off-chip) with (cheap\$2 expensive)	US-PGPUB; USPAT	OR -	ON	2007/12/14 11:39
L53	71	L51 not L32	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L54	37	buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip "off chip")) with (processor pipeline)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L55		((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L56	32010	buffer with ("integrated circuit" chip)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L57	30	((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L58	48	buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip "off chip")) with (processor pipeline CPU)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L59	6	buffer near3 separate near3 ("integrated circuit" chip) with (processor pipeline)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L60	1	"6205400".pn.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39

r				•		
L61	7	("2" two) near2 stage near3 (multiplier multiply multiplication) with latch	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L62	54	coprocessor with multipl\$7 adj accumulat\$3	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L63	42	multiply adj accumulate with latch	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L64	0	coprocessor same multiply adj accumulate with latch	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L65	26	pointer with "input buffer" and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L66	.32	pointer with buffer with operand with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L67	313	pointer with data with "input buffer"	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L68	8	pointer with buffer with input with (execution functional) near2 unit and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L69	44	pointer with next with data with "input buffer"	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L70	54	pointer with buffer with input with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L71	196	pointer with buffer with (operand data) with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L72	10	read adj pointer with "input buffer" and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L73	142	read near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L74	155	read near3 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L75	31	(queue fifo) near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L76	18	queue near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L77	7	stor\$3 near5 buffer near2 pointer near5 queue and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L78	31	queue near3 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L79	17	processor with coprocessor with separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR	ON .	2007/12/14 11:39
L80	. 141	"front end" with separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39

			-			
L81	4	"front end" with separate near3 (chip "integrated circuit") and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON .	2007/12/14 11:39
L82	0	"front end" near3 separate near3 (chip "integrated circuit") and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L83	78	"front end" near3 separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L84	4	coprocessor with execut\$3 with (division divide) near3 (operation instruction) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L85	370	712/34.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L86	270	712/35.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L87	437	712/200.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L88	683	712/225.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L89	1	"6282627".pn.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L90	3	((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:39
L91	71	pipeline near2 accelerat\$3	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:39
L92	12	("4991133" "5619497" "5991299" "6317837" "6408001" "6434620" "6496704" "6498793" "6661794" "6687757" "6757725" "6789147").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/14 11:39
L93	7 .	L92 and header same \$2processor	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/14 11:39
L94	5	coprocessor with message with header	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L95	157	tag with destination with register with (result data)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L96	10	L92 and header	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/14 11:39

L97	24	coprocessor with (packet instruction) with header	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L98	0	tag with destination with register with (result data) with coprocessor	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L99	67	huisman.xa.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L100	22	nakajima.in. and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L101	9	nakagoshi.in. and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L102	0	coprocessor with header with register with destination	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L103	3	coprocessor with (message packet) with register with destination	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L104	0	(PE "processing element") with message with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR .	ON	2007/12/14 11:39
L105	6480	first near2 (PE element processor) same (second next) near2 (PE element processor) same (message packet data) with (transfer\$4 transmit\$4 pass\$3 send\$3)	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L106	1544	first near2 PE ("processing element") with second near2 (PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L107	0	first near2 (PE "processing element") with second near2 (PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L108	1544	first near2 PE ("processing element") with second near2 (PE "processing element") same header same result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L109	0	first near2 PE with second near2 PE with message same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L110	28	(PE "processing element") with message with result and "712"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39
L111	0	(PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39

	EAST Search history								
L112	48	first near2 (PE element processor) same (second next) near2 (PE element processor) same (message packet data) with (transfer\$4 transmit\$4 pass\$3 send\$3) same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39			
L113	10	(PE "processing element") with among with message same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39			
L114	1	(US-4985832-\$).did.	USPAT	OR	ON	2007/12/14 11:39			
L115	1	L114 and memory with message	USPAT	OR	ON	2007/12/14 11:39			
L116	0	(PE "processing element") with amongst with message same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/14 11:39			
L117	706	latch near2 memory near2 address	USPAT	OR	ON	2007/12/14 11:39			
L118	474	latch near2 memory near2 address and (advantage benefit)	USPAT	OR	ON	2007/12/14 11:39			
L119	1	latch near2 memory near2 address with (advantage benefit)	USPAT	OR	ON	2007/12/14 11:39			
L120	49	latch with (provid\$3 allow\$3) with (synchronous synchronized) and g06f\$.ipc.	USPAT	OR	ON	2007/12/14 11:39			
L121	1	latch with (provid\$3 allow\$3) with (synchronous synchronized) same (advantage benefit)	USPAT	OR	ON	2007/12/14 11:39			
L122	405	latch near2 (memory adj address)	USPAT	OR	ON	2007/12/14 11:39			
L123	262	latch with (provid\$3 allow\$3) with (synchronous synchronized)	USPAT	OR	ON	2007/12/14 11:39			
S1	86	pipeline near2 accelerator	US-PGPUB; USPAT	OR	ON	2006/06/19 11:11			
S2	884	pipeline with accelerat\$3	US-PGPUB; USPAT	OR	ON	2006/06/19 11:11 ′			
S3	220	pipeline near2 accelerat\$3	US-PGPUB; USPAT	OR	ON	2006/10/03 13:45			
S4	26	pipeline near2 accelerat\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/19 11:17			
S5	0	accelerat\$3 with load\$3 with process\$3 with external and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/19 11:17			
S6	44	accelerat\$3 with load\$3 with process\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/20 08:19			
S7	3	("5583964" "4956771" "5892962"). pn.	US-PGPUB; USPAT	OR	ON	2006/06/20 10:21			
S8	10	mccarthy-paul.in.	US-PGPUB; USPAT	OR	ON	2006/06/20 10:52			

S9	1	"5619430".pn.	US-PGPUB; USPAT	OR	ON	2006/06/20 10:53
S10	1	"6205400".pn.	US-PGPUB; USPAT	OR	ON	2006/06/20 10:54
S11	8	"raw data" with (coprocessor co-processor) same (buffer queue FIFO)	US-PGPUB; USPAT	OR	ON	2006/06/20 10:56
S12	31	"raw data" with (coprocessor co-processor)	US-PGPUB; USPAT	OR	ON	2006/06/20 14:51
S13	171	"raw data" with (slave PE DSP)	US-PGPUB; USPAT	OR	ON	2006/06/20 14:51
S14	9	"raw data" with (slave PE DSP) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/06/20 14:54
S15	12	"processed data" with (coprocessor co-processor) and "712"/\$.ccls.	US-PGPUB; USPAT	OR .	ON .	2006/06/20 14:54
S16	1	(US-6624819-\$).did.	USPAT [.]	OR	ON	2006/06/21 08:41
S17	1	S16 and "160" with ("204" "206")	US-PGPUB; USPAT	OR	ON	2006/06/21 10:16
S18 _.	165	output near2 queue with (address\$2 pointer) near3 memory	US-PGPUB; USPAT	OR	ON	2006/06/21 10:22
S19	77	output near2 queue near5 (address\$2 pointer) near2 memory	US-PGPUB; USPAT	OR	ON	2006/06/21 10:17
S20	19	output near2 queue near5 (address\$2 pointer) near2 memory and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2006/06/21 10:17
S21	34	output near2 queue with (address\$2 pointer) near3 memory and g06f\$. ipc. not S20	US-PGPUB; USPAT	OR	ON	2006/06/21 11:06
S22	482	address near2 queue with (address\$2 pointer) near3 memory and g06f\$.ipc. not S20	US-PGPUB; USPAT	OR	ON	2006/06/21 10:22
S23	2	opcode near3 coprocessor with (send\$3 transfer\$4 transmit\$4) with instruction	US-PGPUB; USPAT	OR	ON	2006/06/22 08:39
S30	1480	receiv\$3 near3 data same tempora\$4 near3 stor\$3 same process\$3 near3 data same (transmi\$5 send\$3 pass\$3) near4 data	US-PGPUB; USPAT	OR	ON	2006/09/27 14:42
S31	538	(receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3)	US-PGPUB; USPAT	OR	ON	2006/09/27 14:43

			_			
S32	5	(receiv\$3 near3 data with tempora\$4 near3 stor\$3) same (process\$3 near3 data) same ((transmi\$5 send\$3 pass\$3) near3 data with process\$3) same (pipeline accelerat\$3)	US-PGPUB; USPAT	OR .	ON	2006/09/27 14:45
S33	1	((data near3 tempora\$4 near3 stor\$3) with (prior before) near3 process\$3) same ((transmi\$5 send\$3 pass\$3) same (pipeline accelerat\$3))	US-PGPUB; USPAT	OR	ON	2006/09/28 08:37
S34	84	((processor pipeline) with first near3 integrated adj circuit) and (memory DRAM) with (separate second) near3 integrated adj circuit	US-PGPUB; USPAT	OR	ON	2006/09/28 08:41
S35	177	((processor pipeline) with memory with separate near3 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:42
S36	38	((processor pipeline) with memory with separate near3 integrated adj circuit) same advantag\$4	US-PGPUB; USPAT	OR	ON	2006/09/28 08:46
S37	3	((processor pipeline) with memory with separate near3 integrated adj circuit) same (faster speed failure)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:47
S38	0	((processor pipeline) with memory with separate near3 integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:47
S39	0	((processor pipeline) with memory with distinct near3 integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:47
S40	73	((processor pipeline) with memory with integrated adj circuit) same (fail\$3)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:51
S41	237	((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2006/10/03 13:48
S42	41	((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:54
S43	417	((processor pipeline) with memory with integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:54
S44	73	((processor pipeline) with memory with single near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2006/09/28 08:56

S45	1	((processor pipeline) with memory with (two multiple plurality) near3 integrated adj circuit) same (benefi\$5 advantag\$6)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:25
S46	18	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (memory near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:27
S47	0	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (DRAM near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:27
S48	0	((processor pipeline) near5 (first second) near2 integrated adj circuit) same (RAM near5 (first second) near2 integrated adj circuit)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:27
S49	130	((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:28
S50	3	((processor pipeline) near5 (first second) near2 chip) same ((RAM memory DRAM) near5 (first second) near2 chip) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:29
S51	15	((processor pipeline) with (DRAM RAM memory) with separate near2 chip) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:39
S52	85	((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) same (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:43
S53	21	((processor pipeline) with (DRAM RAM memory) with (off-chip "off chip")) with (benefi\$5 advantag\$4)	US-PGPUB; USPAT	OR	ON	2006/09/28 09:41
S54	64	S52 not S53	US-PGPUB; USPAT	OR	ON	2006/09/28 10:12
S55	49	(memory DRAM RAM) with ("off chip" off-chip) with (cheap\$2 expensive)	US-PGPUB; USPAT	OR	ON	2006/09/28 10:41
S56	0	("register file") with ("off chip" off-chip) with (cheap\$2 expensive)	US-PGPUB; USPAT	OR	ON	2006/09/28 10:42
S57	86	("register file") with ("off chip" off-chip)	US-PGPUB; USPAT	OR	ON	2006/09/28 10:43
S58	48	("register file") near3 ("off chip" off-chip)	US-PGPUB; USPAT	OR	ON	2006/09/28 11:04

	,					
S59	. 199	((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory)	US-PGPUB; USPAT	OR	ON	2006/09/28 11:07
S60	22	((coprocessor accelerator DSP PE assist) with (read\$3 receiv\$3) with data with (buffer memory) with processor) same (process\$3 near3 data) same (writ\$3 send\$3 transmit\$4) with data with (buffer memory) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/28 11:59
S61	27742	buffer with ("integrated circuit" chip)	US-PGPUB; USPAT	OR	ON	2006/09/28 11:59
S62	6	buffer near3 separate near3 ("integrated circuit" chip) with (processor pipeline)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:20
S63	34	buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip "off chip")) with (processor pipeline)	US-PGPUB; USPAT	OR	ON	2006/09/28 12:01
S64	44	buffer near3 ((separate near3 ("integrated circuit" chip)) (off-chip "off chip")) with (processor pipeline CPU)	US-PGPUB; USPAT	OR	ON	2006/09/29 08:11
S65	1	"6205400".pn.	US-PGPUB; USPAT	OR	ON	2006/09/29 08:11
S66	7	("2" two) near2 stage near3 (multiplier multiply multiplication) with latch	US-PGPUB; USPAT	OR	ON	2006/09/29 11:23
S67	38	multiply adj accumulate with latch	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S68	0	coprocessor same multiply adj accumulate with latch	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S69	47	coprocessor with multipl\$7 adj accumulat\$3	US-PGPUB; USPAT	OR	ON	2006/09/29 13:10
S70	276	pointer with data with "input buffer"	US-PGPUB; USPAT	OR	ON	2006/09/29 13:10
S71	38	pointer with next with data with "input buffer"	US-PGPUB; USPAT	OR	ON	2006/09/29 13:12
S72	7	read adj pointer with "input buffer" and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:14
S73	20	pointer with "input buffer" and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:16

						•
S74	3	pointer with buffer with input with (execution functional) near2 unit and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:18
S75	43	pointer with buffer with input with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:19
S76	151	pointer with buffer with (operand data) with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:19
S77	29	pointer with buffer with operand with read\$3 and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:22
S78	125	read near3 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:23
S79	112	read near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:24
S80	24	queue near3 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:34
S81	13	queue near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:35
S82	25	(queue fifo) near2 pointer near3 buffer and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 13:38
S83	5	stor\$3 near5 buffer near2 pointer near5 queue and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 15:43
S84	14	processor with coprocessor with separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR .	ON	2006/09/29 16:26
S85	109	"front end" with separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR	ON	2006/09/29 16:27
S86	61	"front end" near3 separate near3 (chip "integrated circuit")	US-PGPUB; USPAT	OR	ON	2006/09/29 16:27
S87	0	"front end" near3 separate near3 (chip "integrated circuit") and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/29 16:27
S88	4	"front end" with separate near3 (chip "integrated circuit") and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 09:34
S89	3	coprocessor with execut\$3 with (division divide) near3 (operation instruction) and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 12:36
S90	319	712/34.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 15:02
S91	250	712/35.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 15:03
S92	405	712/200.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 15:04
S93	595	712/225.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/02 15:08

			<u></u>			
S94	1	"6282627".pn.	US-PGPUB; USPAT	OR ·	ON	2006/10/02 15:08
S95	67	pipeline near2 accelerat\$3	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 13:48
S96		((processor pipeline) with memory with (unique separate different) near3 integrated adj circuit)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 13:49
S97	4	coprocessor with message with header	US-PGPUB; USPAT	OR	ON	2007/05/04 10:46
S98	22	coprocessor with (packet instruction) with header	US-PGPUB; USPAT	OR	ON	2007/05/04 10:47
S99	. 12	("4991133" "5619497" "5991299" "6317837" "6408001" "6434620" "6496704" "6498793" "6661794" "6687757" "6757725" "6789147").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/04 11:13
S10 0	10	S99 and header	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/04 11:13
S10 1	7	S99 and header same \$2processor	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/04 11:13
S10 2	155	tag with destination with register with (result data)	US-PGPUB; USPAT	OR	ON.	2007/05/04 14:18
S10 3	0	tag with destination with register with (result data) with coprocessor	US-PGPUB; USPAT	OR	ON	2007/05/04 14:18
S10 5	67	huisman.xa.	US-PGPUB; USPAT	OR	ON	2007/12/12 16:11
S10 6	22	nakajima.in. and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/12 18:00
S10 7	9	nakagoshi.in. and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 10:57
S10 8	0	coprocessor with header with register with destination	US-PGPUB; USPAT	OR	ON	2007/12/13 10:57
S10 9	3	coprocessor with (message packet) with register with destination	US-PGPUB; USPAT	OR	ON	2007/12/13 11:01
S11 0	6480	first near2 (PE element processor) same (second next) near2 (PE element processor) same (message packet data) with (transfer\$4 transmit\$4 pass\$3 send\$3)	US-PGPUB; USPAT	OR	ON	2007/12/13 11:02

EAST Scarch miscory							
S11 1	48	first near2 (PE element processor) same (second next) near2 (PE element processor) same (message packet data) with (transfer\$4 transmit\$4 pass\$3 send\$3) same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:10	
S11 2	0	first near2 PE with second near2 PE with message same array and "712"/\$:ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:10	
S11 3	1544	first near2 PE ("processing element") with second near2 (PE "processing element") same header same result and "712"/\$.ccls.	US-PGPUB; USPAT	OR ·	ON	.2007/12/13 11:26	
S11 4	1544	first near2 PE ("processing element") with second near2 (PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:27	
S11 5	0	first near2 (PE "processing element") with second near2 (PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:27	
S11 7	0	(PE "processing element") with message with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:28	
S11 8	0	(PE "processing element") with header with result and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 11:28	
S11 9	28	(PE "processing element") with message with result and "712"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 13:17	
S12 0	10	(PE "processing element") with among with message same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 13:18	
S12 1	0	(PE "processing element") with amongst with message same array and "712"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/13 13:18	
S12 2	1	(US-4985832-\$).did.	USPAT	OR	ON	2007/12/13 13:48	
S12 3	1	S122 and memory with message	USPAT	OR	ON	2007/12/13 18:16	
S12 4	706	latch near2 memory near2 address	USPAT	OR	ON	2007/12/13 18:17.	
S12 5	474	latch near2 memory near2 address and (advantage benefit)	USPAT	OR	ON	2007/12/13 18:17	
S12 6	. 1	latch near2 memory near2 address with (advantage benefit)	USPAT	O'R	ON	2007/12/13 18:17	
S12 7	405	latch near2 (memory adj address)	USPAT	OR	ON	2007/12/13 18:20	

S12 8	262	latch with (provid\$3 allow\$3) with (synchronous synchronized)	USPAT	OR	ON	2007/12/13 18:21
S12 9	1	latch with (provid\$3 allow\$3) with (synchronous synchronized) same (advantage benefit)	USPAT	OR	ON	2007/12/13 18:21
S13 0	49	latch with (provid\$3 allow\$3) with (synchronous synchronized) and g06f\$.ipc.	USPAT	OR	ON	2007/12/13 18:22